

**From:** Lauren Kensington-8413  
**Sent:** 3 Oct 2016 11:11:02 +1300  
**To:** Mark Gillard  
**Subject:** RE: MEMAMP older sites

Good Morning Mark

Thank you for providing the MEMAMP for the five older NZKS sites.  
Apologies for the delay in response to you. I have now had a chance to read over this programme.  
I can confirm that the information required for the five consents has been provided, while it is also worth noting that the sites do not have a condition specifically requiring a MEMAMP annually unlike the new sites.  
It was good to note that triplicate samples are being taken for the copper and zinc monitoring following on from issues experienced in previous sampling.

Kind Regards

**Lauren Kensington**  
**Environmental Protection Officer**



15 Seymour Street, PO Box 443  
Blenheim 7240, New Zealand  
Phone: 03 520 7400  
[monitoring@marlborough.govt.nz](mailto:monitoring@marlborough.govt.nz)  
[www.marlborough.govt.nz](http://www.marlborough.govt.nz)

**From:** Mark Gillard  
**Sent:** Monday, 12 September 2016 8:19 a.m.  
**To:** Lauren Kensington-8413  
**Cc:** Frank Hippolite; Te Runanga O Ngati Kuia; billy@ngatikuia.iwi.nz; Karen Mant  
**Subject:** MEMAMP older sites

Morena Lauren

Please find attached a copy of the MEMAMP for our older sites.  
I believe Steve has been in discussion with Cawthron on this.  
Should there be any further changes required we will inform you accordingly.

Nga mihi  
Mark

**Mark Gillard**, *Environmental Compliance Manager*



P: [03-548 5714](tel:03-548-5714) | M: [0292452529](tel:0292452529) | W: [www.kingsalmon.co.nz](http://www.kingsalmon.co.nz) | A: 93 Beatty Street, Tahunanui, 7011

