

SS 3/1 – Automatic Doors

Specified System Description

System Status

New

Modified

Removed

System Type

Automatic Sliding Doors

Automatic Revolving Doors

Other (specify):

System Interfacing

SS 2

Other (specify):

Not applicable

Standards

Performance / Installation Standards

NZS 4239:1993 Automatic sliding door assemblies (Amendment A, 1993).

AS 4085:1992 Automatic sliding door assemblies.

AS 5007:2007 Powered doors for pedestrian access and egress.

AS 4290:2000 Design and installation of revolving doors.

Specifically designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so (*Details provided*)

Other: (*specify*)

Inspection Standards

NZS 4239:1993 (Amendment A, 1993) - Appendix A.

AS 4085:1992 - Appendix A.

AS 5007:2007 – Section 7 and Appendix E.

AS 4290:2000 - Appendix B.

Specifically designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so. (*Details provided*)

Other: (*specify*)

Maintenance Standards

NZS 4239:1993 (Amendment A, 1993) - Appendix A.

AS 4085:1992 - Appendix A.

AS 5007:2007 – Section 7 and Appendix E.

AS 4290:2000 - Appendix B.

Specifically designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so (*Details provided*)

Other: (*specify*)

Inspections, Maintenance and Reporting

Minimum Inspection and Maintenance Procedures

Regular inspection, testing, planned preventative maintenance and responsive maintenance will be carried out in accordance with the nominated performance and inspection standard/document to ensure:

- Safe, suitable operation of the system.
- Occupants are not prevented from leaving the building in the event of an emergency.
- People with disabilities can gain access to the internal space of the building.

Inspection and Maintenance - Frequency and Responsibility

Depending on the type of installation and its performance standard:

Daily and Monthly: by Owner

Six Monthly and Annually: by IQP

Standard / Other document (*specify*)

Inspections and Maintenance for Interfaced Systems

Annual Inspection: by IQP

The system is connected to the building's emergency warning system therefore testing of the interface between the two systems will be carried out annually

The system is NOT connected to the building's emergency warning system.

Reporting

The owner will keep records of all inspections, maintenance and repairs undertaken in the previous 24 months. These will be recorded in the On-Site Log Book, which will remain on the premises with the most recent compliance schedule, and as a minimum include:

- Details of any inspection, test or preventative maintenance carried out including dates, works undertaken, faults found, remedies applied and the name of the person who performed the work.
- Form 12A provided annually by the IQP.